



ALWAYS  
THE BEST  
PROFILES

---

**Profile i odboje do  
chłodni i mroźni**

---


**2016**



FRIGO POLSKA Sp. z o.o.  
Chłodnictwo i Klimatyzacja

tel. 606 326 113

[www.sklep.frigopolska.pl](http://www.sklep.frigopolska.pl)  
[frigo@frigopolska.pl](mailto:frigo@frigopolska.pl)



# COLD ROOMS AND REFRIGERATED CABINETS PROFILES

## CONTENTS

01	PVC Panels	10
02	Hermetic System	12
03	Standard System	16
04	Speed System	20
05	Modular System	24
06	Channels	28
07	Pillar System	32
08	Kerb	34
09	Antishock System	38
10	Door Frame	40
11	Door Leaf	46
12	Accessories for panels	52
13	Trims	56
14	T Suspension	58
15	Bumper 30	60
16	Bumper 50	62
17	Bumper 80	64
18	Bend 80	66
19	Bumper Superflex 80	68
20	Bumper Spongegum	70
21	Bumper Modular	72
22	Wall Protection	74
23	Bumper 150	78
24	Bumper Floor	80
25	Wheel System	82
26	Sliding System	84



# 01

# PVC PANELS



PVC sheets to renovate fastly and cheaply the walls of cold rooms and cold store.

Lastre in PVC per il rinnovo rapido ed economico delle pareti nelle celle e nei magazzini frigoriferi.

Plaques en PVC pour renover rapidement et a bas prix les murs de chambres froides et de depots frigorifiques.

DIFFERENT SIZES ON REQUEST




**PF 300**

Foamed inside



Length **3.000 / 4.000 mm**  
Packing **3 pz / bag**  
Colour **E**



**PR 300**

Length **3.000 / 4.000 mm**  
Packing **3 pz / bag**  
Colour **E**



**PJ**

To install with PR 300 and PF 300


Length **3.000 mm**  
Packing **10 pz / box**  
Colour **E**



**PA**

To install with PR 300 and PF 300


Length **3.000 mm**  
Packing **10 pz / box**  
Colour **E**



**PT**

To install with PR 300 and PF 300

Length **3.000 mm**  
Packing **10 pz / box**  
Colour **E**





# 02


# HERMETIC SYSTEM



New sanitary system, excellent water and dirty resistant, provided with a new plinth with a large flap to make the installation easier and bi material caps to grant hermetic closing. To be used with standard hygienic corners.

Nuovo sistema profili sanitari con un battiscopa dotato di grande sportello per facilitare l'installazione. Completo di tappi in bimatereale per una chiusura ermetica. Ottima tenuta dell'acqua e dello sporco. Utilizzabile con angoli sanitari standard.

Nouveau système sanitaire, résistant à l'eau et à l'impureté, doté d'une plinthe avec une grande porte pour faciliter l'installation et accessoires injectées en bi matériel pour une fermeture hermétique. À utiliser avec les congés d'angle standards.



**NEW BI MATERIAL CAPS**






NEW CAPS ALSO TO BE USED WITH PL 100  
 NOUVEAUX EMBOUTS À UTILISER AUSSI AVEC PL 100  
 NUOVI TAPPI UTILIZZABILI ANCHE CON PL 100



# Hermetic System

	<b>CS 65</b>	Length Packing Colour	<b>4.000 mm</b> <b>25 pz / box</b> E F	
	<b>CO 65</b>	Length Packing Colour	<b>4.000 mm</b> <b>25 pz / box</b> B E F	
	<b>CO 100</b>	Length Packing Colour	<b>4.000 mm</b> <b>25 pz / box</b> E F	
	<b>CSP with holes CSA</b>	Material Length Packing	<b>CSP plastic</b> <b>CSA aluminium</b> <b>4000 mm</b> <b>CSP</b> <b>25 pz / box</b> <b>CSA</b> <b>25 pz / bundle</b>	
	<b>COPF 100-65 with holes COAF 100-65</b>	Material Length Packing	<b>COPF plastic</b> <b>COAF aluminium</b> <b>4.000 mm</b> <b>COPF 100-65</b> <b>25 pz / box</b> <b>COAF 100-65</b> <b>25 pz / bundle</b>	
	<b>COPF 40 with holes COAF 40</b>	Material Length Packing	<b>COPF plastic</b> <b>COAF aluminium</b> <b>4.000 mm</b> <b>COPF 40</b> <b>25 pz / box</b> <b>COAF 40</b> <b>25 pz / bundle</b>	
	<b>CP 100</b>	Length Packing Colour	<b>4.000 mm</b> <b>10 pz / box</b> B E F M	
	<b>CPF 100</b>	Material Length Packing	<b>plastic</b> <b>4.000 mm</b> <b>10 pz / bag</b>	
	<b>CPT 100</b>	Packing Colour	<b>40 pz / box</b> B E F	

# Hermetic System

	<b>PH 100</b>		Length Packing Colour	<b>4.000 mm</b> <b>13 pz / box</b> E F	
	<b>CO3V 65</b>		Packing Colour	<b>100 pz / box</b> B E F	
	<b>CO3V 100 H</b>		To install with TH Packing Colour	<b>50 pz / box</b> E F	
	<b>CO2VE 65 CO2VE 100</b>		Packing Colour	<b>100 pz / box</b> E F	
	<b>COT 65 COT 100</b>		Packing Colour	<b>100 pz / box</b> E F	
	<b>PH2I 100</b>		To install with TH Packing Colour	<b>50 pz / box</b> E F	
	<b>PH3I 100</b>		To install with TH Packing Colour	<b>50 pz / box</b> E F	
	<b>PH2E 100</b>		To install with TH Packing Colour	<b>50 pz / box</b> E F	
	<b>PHTDX 100 PHTSX 100</b>		To install with TH Packing Colour	<b>50 pz / box</b> E F	





# 03

## STANDARD SYSTEM



Basic hygienic corner with aluminium or pvc guide, with soft fins to fix it to the wall to assure hygiene. It can be used with plinth.

Angolo sanitario classico con supporto in alluminio o pvc. Provisto di alette morbide per assicurare il fissaggio alle pareti ed evitare il passaggio dello sporco. Perfetta combinazione con il battiscopa a pavimento.



















Système d'angle standard hygiénique avec un support en aluminium ou en pvc. Dispose d'ailettes souples assurant une adhésion aux murs afin d'éviter le passage de la poussière. Peut-être utilisé avec des plinthes.



# Standard System

	<b>CS 45</b>	Length Packing Colour	<b>4.000 mm</b> <b>50 pz / box</b> E F	
	<b>CO 65</b>	Length Packing Colour	<b>4.000 mm</b> <b>25 pz / box</b> B E F	
	<b>CO 100</b>	Length Packing Colour	<b>4.000 mm</b> <b>25 pz / box</b> E F	
	<b>CSP 45</b>	Length Packing	<b>4.000 mm</b> <b>50 pz / box</b>	
	<b>COPF 100-65 with holes</b> <b>COAF 100-65</b>	Material Length Packing	<b>COPF plastic</b> <b>COAF aluminium</b> <b>4.000 mm</b> <b>COPF 100-65</b> <b>25 pz / box</b> <b>COAF 100-65</b> <b>25 pz / bundle</b>	
	<b>COPF 40 with holes</b> <b>COAF 40</b>	Material Length Packing	<b>COPF plastic</b> <b>COAF aluminium</b> <b>4.000 mm</b> <b>COPF 40</b> <b>25 pz / box</b> <b>COAF 40</b> <b>25 pz / bundle</b>	
	<b>CP 100</b>	Length Packing Colour	<b>4.000 mm</b> <b>10 pz / box</b> B E F M	
	<b>CPF 100</b>	Material Length Packing	<b>plastic</b> <b>4.000 mm</b> <b>10 pz / bag</b>	
	<b>CPT 100</b>	Packing Colour	<b>40 pz / box</b> B E F	

# Standard System

	<b>PL 100 R</b>	Length Packing Colour	<b>4.000 mm</b> <b>10 pz / box</b> E F	
	<b>CO3V 45</b> To install with TM5	Packing Colour	<b>100 pz / box</b> E	
	<b>CO3V 65</b> <b>CO3V 100</b>	Packing Colour	<b>100 pz / box</b> E F	
	<b>CO2VE 65</b> <b>CO2VE 100</b>	Packing Colour	<b>100 pz / box</b> E F	
	<b>COT 65</b> <b>COT 100</b>	Packing Colour	<b>100 pz / box</b> E F	
	<b>PL2I 100</b>	Packing Colour	<b>50 pz / box</b> E F	
	<b>PL3I 100</b>	Packing Colour	<b>50 pz / box</b> E F	
	<b>PL2E 100</b>	Packing Colour	<b>50 pz / box</b> E F	
	<b>PLTDX 100</b> <b>PLTSX 100</b>	Packing Colour	<b>100 pz / box</b> E F	






04

SPEED  
SYSTEM

Hygienic corner system rapid and easy to install, available with fixing buttons on the ending caps which eliminate the need for the wall drilling.

Linea d'angolo sanitario rapida e facile da installare che elimina la foratura alle pareti sostituita da bottoni di supporto ai terminali.

Congé d'angle sanitaire facile à l'installation qui permet d'éviter la perforation de murs grâce à des embouts à pression insérés dans les espaces préforés.









**CS 65**

Length **4.000 mm**  
Packing **25 pz / box**  
Colour **E F**




**CSP with holes**  
**CSA**

Material **CSP plastic**  
**CSA aluminium**  
Length **4.000 mm**  
Packing **CSP**  
**25 pz / box**  
**CSA**  
**25 pz / bundle**



**CP 100**

Length **4.000 mm**  
Packing **10 pz / box**  
Colour **B E F M**




**CPF 100**

Material **plastic**  
Length **4.000 mm**  
Packing **10 pz / bag**




**CPT 100**

Packing **40 pz / box**  
Colour **E F**



**PL 85 R**


Length **4.000 mm**  
Packing **14 pz / box**  
Colour **E F**



**PL2I 85 with holes**  
**PL2I 85 NH without holes**

To install with TS5


Packing **50 pz / box**  
Colour **E F**



**PL3I 85 with holes**  
**PL3I 85 NH without holes**

To install with TS5


Packing **50 pz / box**  
Colour **E F**



**PL2E 85 with holes**  
**PL2E 85 NH without holes**

To install with TS5


Packing **50 pz / box**  
Colour **E F**



**PLTDX 85 with holes**  
**PLTSX 85 with holes**  
**PLTDX 85 NH without holes**  
**PLTSX 85 NH without holes**

To install with TS5

Packing **100 pz / box**  
Colour **E F**



# 05


# MODULAR SYSTEM



Complete system with the possibility to change the size of profiles and internal caps which suit all the solutions. Warranty and easy way to fix it. Hidden screws.

Sistema completo con possibilità di allungamento modulare dei profili e raccordi interni che si adattano a tutte le combinazioni. Garanzia e facilità di fissaggio. Viti a scomparsa.

Système modulable complet avec la possibilité de modifier la taille des profilés et des raccords internes, qui s'adapte alors à toutes les solutions. Solidité garantie et facile à fixer. Vis dissimulées.






# Modular System




**TM**

Length **4.000 mm**  
Packing **40 pz / box**  
Colour **B E**




**EXM**

Length **4.000 mm**  
Packing **20 pz / box**  
Colour **B E**





**PLM**

Length **4.000 mm**  
Packing **10 pz / box**  
Colour **B E**




**COM**

Length **4.000 mm**  
Packing **10 pz / box**  
Colour **B E**




**BUEM**

Length **4.000 mm**  
Packing **10 pz / box**  
Colour **B E**



**BUM**


Length **4.000 mm**  
Packing **8 pz / box**  
Colour **A B C E G H**



**PLM3I**

To install with TM5


Packing **50 pz / box**  
Colour **B E**



**PLM3E**

To install with TM5


Packing **50 pz / box**  
Colour **B E**



**PLMT DX**  
**PLMT SX**

To install with TM5

Packing **100 pz / box**  
Colour **B E**





# Modular System



**COM3 V**

To install with TM5


Packing **50 pz / box**  
Colour **B E**



**COM3 VE**

To install with TM5


Packing **25 pz / box**  
Colour **B E**



**COMT**

To install with TM5


Packing **50 pz / box**  
Colour **B E**



**BUMT 150**

To install with TM5


Packing **50 pz / box**  
Colour **B E**



**BUMT 250**

To install with TS7


Packing **25 pz / box**  
Colour **E**



**PLN3I 100**

To install with TM5


Packing **50 pz / box**  
Colour **B E**



**PLN2E 100**

To install with TM5

Packing **50 pz / box**  
Colour **B E**



06

## CHANNELS




Different sizes available with rounded sides and soft fins for a good fit to the floor. Cheap models available, see CU.

Ampia scelta tra canale grecate con bordi arrotondati e alette morbide per assicurare maggiore tenuta. Disponibili anche in versione più economica, vedi CU.

Plusieurs dimensions sont disponibles, nervurées avec des bords arrondis et des ailettes souples pour permettre une meilleure adhésion au sol. Différents modèles économiques disponibles, voir CU.

OUR CHANNELS  
FIT FOR ALL OUR  
PLINTHS



FRIGO POLSKA Sp. z o.o.  
Chłodnictwo i Klimatyzacja

tel. 606 326 113

www.sklep.frigopolska.pl  
frigo@frigopolska.pl



FRIGO POLSKA Sp. z o.o.  
Chłodnictwo i Klimatyzacja

tel. 606 326 113

www.sklep.frigopolska.pl  
frigo@frigopolska.pl




# Channels




**CH 60**

Length **4.000 mm**  
Packing **2 pz / bundle**  
Colour **E F**




**CH 70**

Length **4.000 mm**  
Packing **2 pz / bundle**  
Colour **E F**




**CH 80**

Length **4.000 mm**  
Packing **2 pz / bundle**  
Colour **E F**




**CH 100**

Length **4.000 mm**  
Packing **2 pz / bundle**  
Colour **E F**





**CH 120**

Length **4.000 mm**  
Packing **2 pz / bundle**  
Colour **E F**





**CU 40**

Length **4.000 mm**  
Packing **8 pz / bag**  
Colour **E F**





**CU 60**

Length **4.000 mm**  
Packing **2 pz / bundle**  
Colour **E F**




**CU 80**

Length **4.000 m**  
Packing **2 pz / bundle**  
Colour **E F**



**CU 100**

Length **4.000 mm**  
Packing **2 pz / bundle**  
Colour **E F**




# Channels




**CL 80**

Length **4.000 mm**  
Packing **8 pz / box**  
Colour **E F**





**CHA 80**

Packing **24 pz / box**  
Colour **E F**





**CHA 100**

Packing **48 pz / box**  
Colour **E F**



**CHA 60 R 15**  
**CHA 80 R 15**  
**CHA 100 R 15**



Packing **24 pz / box**  
Colour **E F**



**CLA 80 R 13**


To install with **CL 80**

Packing **24 pz / box**  
Colour **E F**




**CHL 60**  
**CHL 70**  
**CHL 120**

Packing **to be defined**  
Colour **E F**



**CHT 60**  
**CHT 70**  
**CHT 80**  
**CHT 100**  
**CHT 120**

Packing **to be defined**  
Colour **E F**



# 07

## PILLAR SYSTEM



Cheap and useful system studied for quick planning and installation of cold rooms. Perfect isolation, equipped with an internal rounded corner for easy cleaning.

Sistema economico e funzionale ideato per la rapida progettazione e gestione delle celle frigorifere. Ottimo isolamento, accessorato con angoli arrotondati all'interno per facilitare la pulizia.

Système pratique et économique étudié pour la réalisation et la gestion de chambres froides. Isolation parfaite, équipé d'angles arrondis à l'intérieur pour faciliter le nettoyage.





### Pillar System




**PIT 80**

Length **4.000 mm**  
Packing **unpacked on pallet**  
Colour **E**




**PIT 120**

Length **4.000 mm**  
Packing **unpacked on pallet**  
Colour **E**




**GE**

Length **4.000 mm**  
Packing **25 pz / bundle**




**FAM**

Packing **200 pz / box**  
Colour **D**




**FAF**

Packing **200 pz / box**  
Colour **D**




**KEY**

Packing **100 pz / box**  
Colour **D**




**PIC 80**

Packing **8 pz / box**  
Colour **E**



**PIC 120**

Packing **4 pz / box**  
Colour **E**



FRIGO POLSKA Sp. z o.o.  
Chłodnictwo i Klimatyzacja

tel. 606 326 113

www.sklep.frigopolska.pl  
frigo@frigopolska.pl



FRIGO POLSKA Sp. z o.o.  
Chłodnictwo i Klimatyzacja

tel. 606 326 113

www.sklep.frigopolska.pl  
frigo@frigopolska.pl



08

## KERB

To install with Channels CH and CU  
 Monta con canale CH e CU  
 À installer avec les U de sol CH et CU



A large size protection system,  
 ideal for walls and panels.  
 Easy to install and clean.  
 Fully equipped with corner  
 caps and buttons.

Sistema di protezione di grandi  
 dimensioni, ideale per muri e  
 pannelli. Facile da installare e pulire.  
 Completo di angolari e tappi.

Système de protection de grands  
 dimensions, idéal pour les murs et  
 les panneaux. Facile à installer et  
 à nettoyer. Complété de bouchons  
 d'angles et d'embouts.



FRIGO POLSKA Sp. z o.o.  
 Chłdnictwo i Klimatyzacja

tel. 606 326 113

www.sklep.frigopolska.pl  
 frigo@frigopolska.pl



FRIGO POLSKA Sp. z o.o.  
 Chłdnictwo i Klimatyzacja


tel. 606 326 113

www.sklep.frigopolska.pl  
 frigo@frigopolska.pl



**KS 200**


Length **4.000 mm**  
Packing **3 pz / box**  
Colour **B E M**



**KEPF 200**

To install with TB14


Packing **50 pz / box**  
Colour **K**



**KSJ 200**

To install with TB14 / TF14


Packing **20 pz / box**  
Colour **B E**



**KSI 200**

To install with TB14 / TF14


Packing **20 pz / box**  
Colour **B E**



**KSE 200**

To install with TB14 / TF14


Packing **20 pz / box**  
Colour **B E**



**KSTDX 200**  
**KSTSX 200**

To install with TB14 / TF14

Packing **20 pz / box**  
Colour **B E**



**CP 200**

Length **4.000 mm**  
Packing **2 pz / bag**  
Colour **B E M**




**CPF 200**

Length **4.000 mm**  
Packing **2 pz / bag**



**CPT 200**

Packing **20 pz / box**  
Colour **B E**



**KS 300**


Length **4.000 mm**  
Packing **1 pz**  
Colour **B E M**



**KEPF 300**

To install with TB20


Packing **40 pz / box**  
Colour **K**



**KSJ 300**

To install with TB20 / TF20


Packing **10 pz / box**  
Colour **B E**



**KSI 300**

To install with TB20 / TF20


Packing **10 pz / box**  
Colour **B E**



**KSE 300**

To install with TB20 / TF20


Packing **10 pz / box**  
Colour **B E**



**KSTDX 300**  
**KSTSX 300**

To install with TB20 / TF20


Packing **10 pz / box**  
Colour **B E**






# 09

## ANTISHOCK SYSTEM




New bumper and plinth system produced in soft material, could be used in cold rooms, refrigerated storages and garages. Thanks to material elasticity, it features good anti-shock property



### Antishock System

Nuova linea di paracolpi e battiscopa in materiale morbido per celle frigo, magazzini refrigerati, garage. Ottima proprietà anti-urto grazie all'elasticità del materiale utilizzato.


Nouvelle gamme de lisses de protection et plinthes en matière souple pour les chambres froides, depots et garages. Excellente propriété anti-choc grâce à l'élasticité du matériel utilisé.



**ASK 200**




Packing 1 pz / box  
L = 8.000 mm  
Colour B C



**ASK2I 200**




Packing to be defined  
Colour B



**ASK2E 200**





Packing to be defined  
Colour B



**ASKTDX 200  
ASKTSX 200**




Packing to be defined  
Colour B



**ASP 200**





Packing 1 pz / box  
L = 8.000 mm  
Colour B C



**ASPT 200**




Packing 10 pz / box  
Colour B D



**ASA**

Material aluminium  
Length 4.000 mm  
Packing 8 pz / bundle



**ASCO**



Packing 2 pz / box  
L = 32.000 mm  
Colour A B C D E



FRIGO POLSKA Sp. z o.o.  
Chłodnictwo i Klimatyzacja

tel. 606 326 113

www.sklep.frigopolska.pl  
frigo@frigopolska.pl

FRIGO POLSKA Sp. z o.o.  
Chłodnictwo i Klimatyzacja

tel. 606 326 113

www.sklep.frigopolska.pl  
frigo@frigopolska.pl

# 10 DOOR FRAME




Modular system which suits different sizes and thicknesses with the possibility to build corners welding or inserting fast connections. It's equipped with spaces for resistance and for additional supports to add during the assembly. It can be covered with plates.




Door Frame


## BIS VERSION



## TRIS VERSION



## ROUNDED VERSION



FRIGO POLSKA Sp. z o.o.  
Chłodnictwo i Klimatyzacja

tel. 606 326 113

www.sklep.frigopolska.pl  
frigo@frigopolska.pl



FRIGO POLSKA Sp. z o.o.  
Chłodnictwo i Klimatyzacja


tel. 606 326 113

www.sklep.frigopolska.pl  
frigo@frigopolska.pl




## Door Frame

### How to assemble DF 130



### How to assemble DFS 130




## Door Frame



### DFL 110x80



Length **5.800 mm**  
Packing **2 pz / bag**  
Colour **E**



### DFL 130x60



Length **5.800 mm**  
Packing **2 pz / bag**  
Colour **E**

**MODEL ALSO FOR HEATER**





### DF 130

Length **5.800 mm**  
Packing **2 pz / bag**  
Colour **E**



### DF-A



Material **aluminium**  
Length **2.000 mm**  
Packing **2 pz / bundle**



### DFS H 130


Length **5.800 mm**  
Packing **2 pz / bag**  
Colour **E**

**MODEL FOR HEATER**




### DFS 130

Length **5.800 mm**  
Packing **2 pz / bag**  
Colour **E**




### DFSA 130

Packing **to be defined**  
Colour **to be defined**




### DFM 20

Length **5.800 mm**  
Packing **4 pz / bag**  
Colour **E**



### DFM 60

Length **5.800 mm**  
Packing **2 pz / bag**  
Colour **E**




# Door Frame



**DFM 100**


Length **5.800 mm**  
Packing **2 pz / bag**  
Colour **E**



**DCF**


To install with TK 100 and TM 12

Length **5.800 mm**  
Packing **2 pz / bag**  
Colour **E**




**DCCF**

Length **5.800 mm**  
Packing **25 pz / bag**  
Colour **various**





**DFF**

Length **5.800 mm**  
Packing **25 pz / bag**  
Colour **E**




**DCP  
DHC**

Material **DCP plastic Ral 9010  
DHC aluminium**  
Length **5.800 mm**  
Packing **25 pz / bag**




**DJF DX  
DJF SX**

Packing **10 pz / box**  
Colour **E**





**K1**

Material **galvanized steel**  
Packing **10 pz / bag**




**DC DX  
DC SX**

Packing **10 pz / box**  
Colour **E**



**DCA**

Packing **10 pz / box**  
Colour **D**




# Door Frame




**DCAS**

Packing **20 pz / box**  
Colour **D**




**RD**

Length **4.000 mm**  
Packing **25 pz / box**  
Colour **K**





**DW 60**

Length **4.000 mm**  
Packing **10 pz / bag**  
Colour **E K**




**DW 70**

Length **4.000 mm**  
Packing **10 pz / bag**  
Colour **E K**




**DW 80**

Length **4.000 mm**  
Packing **10 pz / bag**  
Colour **E K**



**DW 100**

Length **4.000 m m**  
Packing **10 pz / bag**  
Colour **E K**






# 11 DOOR LEAF





Door profiles for continuous panels and foamed panels. Available in aluminium and also in plastic to ensure thermal break

Linea di profili porta per pannelli in continuo e schiumati. Disponibili in alluminio, ma anche in plastica per garantire l'isolamento termico


Gamme de profilés pour portes frigorifiques à utiliser avec panneaux isolants réalisés par injection en continu de mousse polyuréthane. Ils sont disponibles en aluminium et aussi en matière plastique pour garantir l'isolation thermique.







**ADL 60  
ADL 80  
ADL 100**  
To install with  
TM 12 - DPG 90 - DPGW 90  
DPGH 90 - DFG 90 - ADPG 90

Length **5.800 mm**  
Packing **2 pz / bag**  
Colour **E K**




**ADLA 80**

Packing **to be defined**  
Colour **E K**




**ADLC 60  
ADLC 80  
ADLC 100**

Length **5.800 mm**  
Packing **2 pz / bag**  
Colour **E K**




**SQ ADL 60  
SQ ADL 80  
SQ ADL 100**

Material **aluminium**  
Packing **20 pz / box**





**DL 70**

Length **5.800 mm**  
Packing **2 pz / bag**  
Colour **E K**





**DL 90**

Length **5.800 mm**  
Packing **2 pz / bag**  
Colour **E K**




**DLALU 70**

Material **aluminium**  
Length **5.700 mm**  
Packing **to be defined**



**DLALU 90**

Material **aluminium**  
Length **5.700 mm**  
Packing **to be defined**






Door Leaf





**DPG 70**

Packing **1 pz / reel**  
L 80.000mm  
Colour **D**



**DPG W 70**

Packing **1 pz / reel**  
L 80.000mm  
Colour **D**




**ADPG 70**  
To install with DPG 70  
DPG W 70

Packing **50 pz / box**  
Colour **D**




**DFG 70**

Length **3.800 mm**  
Packing **12 pz / box**  
Colour **D**




**DPG 90**

Packing **1 pz / reel**  
L 60.000 mm  
Colour **D**





**DPG W 90**

Packing **1 pz / reel**  
L 60.000 mm  
Colour **D**




**DPG H 90**

Packing **1 pz / reel**  
L 60.000 mm  
Colour **D**




**ADPG 90**  
To install with DPG 90  
DPG W 90 - DPGH90

Packing **40 pz / box**  
Colour **D**



**DFG 90**

Length **3.800 mm**  
Packing **6 pz / box**  
Colour **D**





Door Leaf



**VELA**




Length **3.700 mm**  
Packing **6 pz / box**  
Colour **D**



**PLANE**



Length **4.000 mm**  
Packing **15 pz / box**  
Colour **D**



# 12

# ACCESSORIES FOR PANELS



Profiles and moulded accessories to complete the panel finish. Practical for cleaning assuring good hygiene for the food industry.

Profilati e stampati per completare la finitura di pannelli. Pratici per la pulizia e l'igiene nel settore alimentare.

Profilé et pièces injectés pour la finition des panneaux. Utiles pour assurer le nettoyage et l'hygiène dans le domaine alimentaire.



**NEW  
BREAKING  
RESISTANCE  
2.099 KG**





## Accessories for panels




### BAR 15

Breaking resistance with 660 Kg self-tapping screw  $\varnothing$  6,3 mm

\*

Length **on request**  
Packing **boxes**  
Colour **E**




### AC40

Breaking resistance for meter 4970 Kg

\*

Length **4.000 mm**  
Packing **4 pz / bundle**  
Colour **E**




### AC 70

Breaking resistance for meter 5000 Kg


\*

Length **4.000 mm**  
Packing **2 pz / bundle**  
Colour **E**




### ACT 70

Packing **100 pz / box**  
Colour **E**




### MC 50

Length **4.000 mm**  
Packing **20 pz / box**  
Colour **E**




### L 120x60

Length **4.000 mm**  
Packing **4 pz / bag**  
Colour **E**




### SH 40

Length **4.000 mm**  
Packing **32 pz / box**  
Colour **E**




### SH 60

Length **4.000 mm**  
Packing **25 pz / box**  
Colour **E**



### R 60

Packing **300 pz / box**  
Colour **E F**




## Accessories for panels



### R 90

Available with hole  $\varnothing$  14/20 mm

Packing **150 pz / box**  
Colour **E F**



### M 8

Medium breaking resistance 550 Kg

### M 10


Medium breaking resistance 520 Kg

### M 12

Medium breaking resistance 665 Kg

\*

Packing **300 pz / box**  
Colour **E F**




### M 8H

### M 10H

### M 12H

Packing **300 pz / box**  
Colour **E F**




### M 10 SI

Medium breaking resistance 2.099 Kg

\*

STEEL INSERT

Packing **300 pz / box**  
Colour **E F**




### DAD 12

Packing **1.000 pz / box**  
Colour **White**




### BAR 12

Length **500 mm**  
Packing **100 pz / box**  
Colour **White**



### RON 12

Packing **100 pz / box**  
Colour **White**



\* Loading tests available on request



FRIGO POLSKA Sp. z o.o.  
Chłodnictwo i Klimatyzacja

tel. 606 326 113

www.sklep.frigopolska.pl  
frigo@frigopolska.pl



FRIGO POLSKA Sp. z o.o.  
Chłodnictwo i Klimatyzacja

tel. 606 326 113

www.sklep.frigopolska.pl  
frigo@frigopolska.pl





# 13 TRIMS



Complete range of profiles and accessories used to fix and to finish panels.


Gamma completa di profili e accessori per l'incastro e la finitura dei pannelli.

Gamme complète de profilés et d'accessoires pour le joint et la finition de panneaux.




**PCC**

Length **2.500 / 3.000 mm**  
Packing **30 pz / box**  
Colour **E**




**PCB**

Length **2.500 / 3.000 mm**  
Packing **30 pz / box**  
Colour **White**




**PCS**

Length **2.500 / 3.000 mm**  
Packing **30 pz / box**  
Colour **E**




**PDB**

Length **2.500 / 3.000 mm**  
Packing **30 pz / box**  
Colour **E**




**PCI**

Length **2.500 / 3.000 mm**  
Packing **30 pz / box**  
Colour **E**



**PCO**

Length **2.500 / 3.000 mm**  
Packing **30 pz / box**  
Colour **E**



FRIGO POLSKA Sp. z o.o.  
Chłodnictwo i Klimatyzacja

tel. 606 326 113

www.sklep.frigopolska.pl  
frigo@frigopolska.pl



FRIGO POLSKA Sp. z o.o.  
Chłodnictwo i Klimatyzacja

tel. 606 326 113

www.sklep.frigopolska.pl  
frigo@frigopolska.pl



# 14

## T SUSPENSION

ALUMINIUM PROFILES

CERTIFICATED  
BREAKING RESISTANCE



T and Omega profiles for ceiling suspension. White painted aluminium profiles, fire resistance and equipped with stainless steel nuts covered in plastic to ensure thermal bridge. Two solutions available, one light and one heavy.

Profili a T e Omega per soffitto a sospensione. Realizzati in alluminio verniciato bianco, resistenti al fuoco e provvisti di dadi in acciaio ricoperti in plastica che fungono da taglio termico. Disponibili 2 soluzioni, una leggera e una pesante.

T et Omega profilés pour la suspension de plafond. Blanc laqué profilés en aluminium, résistants au feu et équipés d'écrous en acier inox recouverts de plastique pour garantir le pont thermique. Deux solutions disponibles, une légère et une lourde.





**T 85**

\*

Length **4.000 mm**  
Packing **2 pz / bundle**  
Colour **E F**

Loading tests available on request




**T 130**

\*

Length **4.000 mm**  
Packing **2 pz / bundle**  
Colour **E F**

Loading tests available on request



**OME 110**

\*

Length **4.000 mm**  
Packing **5 pz / bundle**  
Colour **E F**

Loading tests available on request



**OME 150**

\*

Length **4.000 mm**  
Packing **2 pz / bundle**  
Colour **E F**

Loading tests available on request




**CEBES 100**

\*

Length **4.000 mm**  
Packing **5 pz / bundle**  
Colour **E F**

Loading tests available on request



**CEBES 130**

\*

Length **4.000 mm**  
Packing **3 pz / bundle**  
Colour **E F**


Loading tests available on request



**OMES L**

STEEL INSERT  
PLASTIC COATING


Packing **50 pz / box**  
Colour **E**



**OMES S**

STEEL INSERT  
PLASTIC COATING

Packing **75 pz / box**  
Colour **E**




**SJ8**

**SJ10**

**SJ12**

Material **galvanized steel**  
Packing **50 pz / box**



FRIGO POLSKA Sp. z o.o.  
Chłodnictwo i Klimatyzacja

tel. 606 326 113

www.sklep.frigopolska.pl  
frigo@frigopolska.pl



FRIGO POLSKA Sp. z o.o.  
Chłodnictwo i Klimatyzacja



tel. 606 326 113

www.sklep.frigopolska.pl  
frigo@frigopolska.pl

# 15 BUMPER 30




Bumper 30



Small bumper to be used on refrigerated cabinets and check-outs, easy set up for installing profiles on pvc guide, available in soft or rigid pvc.

Paracolpi di piccole dimensioni ideale per vetrine refrigerate e check outs, facile da installare con rapido fissaggio tramite incastro su guida in pvc, disponibile in materiale rigido o morbido.


Profilé anti-choc de petits dimensions idéal pour les vitrines réfrigérées et les compteurs, facile à installer avec fixation rapide par le support en pvc disponible en matériel dur ou souple.



**BU 30**

Length 4.000 mm  
Packing 22 pz / box  
Colour 

A	B	C	D
E	G	H	




**BU 30 flex**

Minimum radius: 60 mm


Packing 2 pz / box  
L = 22.000 mm  
Colour 

A	B	C	D	E
F	G	H	I	



**BUPF 30**


Length 4.000 mm  
Packing 22 pz / box



**BUT 30**

Packing 100 pz / box  
Colour 


A	B	C	D	E
F	G	H	I	



**BUA 30**

Packing 50 pz / box  
Colour 

A	B	C	D	E
F	G	H	I	



FRIGO POLSKA Sp. z o.o  
Chłodnictwo i Klimatyzacja

tel. 606 326 113

www.sklep.frigopolska.pl  
frigo@frigopolska.pl



FRIGO POLSKA Sp. z o.o  
Chłodnictwo i Klimatyzacja

tel. 606 326 113

www.sklep.frigopolska.pl  
frigo@frigopolska.pl



# 16

## BUMPER 50




Highly resistant against impacts, linear but functional design, high resistant, easy to install and equipped with accessories.

Profilo paracolpi dal design semplice e funzionale. Resistente, facile da installare e completo di accessori.

Profilé anti-choc avec un design simple et fonctionel. Résistant, facile à installer et fourni entièrement équipé.




Bumper 50



**BU 50**

Length 4.000 mm  
Packing 14 pz / box  
Colour 

A	B	C	D
E	G	H	




**BU 50 flex**

Minimum radius: 250 mm


Length 4.000 mm  
Packing 14 pz / box  
Colour 

A	B	C	D	E
F	G	H	I	



**BUPF 50**


Length 4.000 mm  
Packing 14 pz / box



**BUT 50**

Packing 100 pz / box  
Colour 


A	B	C	D	E
F	G	H	I	



**BUA 50**

Packing 50 pz / box  
Colour 

A	B	C	D	E
F	G	H	I	



FRIGO POLSKA Sp. z o.o.  
Chłodnictwo i Klimatyzacja

tel. 606 326 113

www.sklep.frigopolska.pl  
frigo@frigopolska.pl



FRIGO POLSKA Sp. z o.o.  
Chłodnictwo i Klimatyzacja

tel. 606 326 113

www.sklep.frigopolska.pl  
frigo@frigopolska.pl



# 17 BUMPER 80




Without guides, this profile is directly fixed to the wall through hidden screws covered by a specific item available in various colours.

Articolo paracolpi a fissaggio diretto alla parete tramite viti nascoste da un apposito profilo disponibile in vari colori.

Profilé anti-choc à fixation directe aux murs grâce à des vis cachées par un profilé disponible en plusieurs couleurs.




Bumper 80




**BU 80**

Length **4.000 mm**  
Packing **6 pz / box**  
Colour **B E**




**BUC 80**

Length **60 mt / reel**  
Packing **cardboard reel**  
Colour **A B C D E G H**




**BUT 80**

Packing **50 pz / box**  
Colour **B E**




**BUA 80**

Packing **50 pz / box**  
Colour **B E**



**BUR 80**

Packing **25 pz / box**  
Colour **B E**



FRIGO POLSKA Sp. z o.o.  
Chłodnictwo i Klimatyzacja

tel. 606 326 113

www.sklep.frigopolska.pl  
frigo@frigopolska.pl



FRIGO POLSKA Sp. z o.o.  
Chłodnictwo i Klimatyzacja

tel. 606 326 113

www.sklep.frigopolska.pl  
frigo@frigopolska.pl



# 18

## BEND 80




Unique in range and shape,  
a forceful choice between  
convenience and stylish design.  
Corner caps are not necessary.

Articolo unico nel suo genere,  
compromesso tra praticità  
e design elegante. Si adatta alla  
parete senza l'ausilio di raccordi.


Article unique en son genre, parfait  
compromis entre la praticité et le  
design élégant. Il s'adapte  
au mur sans avoir besoin d'embouts  
supplémentaires.

Bend 80




**BES 80**  
With double-sided tape  
Minimum radius: 40 mm

Packing 1 pz / box  
L= 25.000 mm  
Colour T  
+ colored strip  
A G I



**BED 80** with tape  
**BE 80** with screws  
Minimum radius: 40 mm  
To install with **BEC 80**

Packing 1 pz / box  
L = 25.000 mm  
Colour T




**BER 80**  
To install with **BERCO 80**

Length 4.000 mm  
Packing 12 pz / box  
Colour B K




**BEC 80**

Length 60 mt / reel  
Packing cardboard reel  
Colour A B C D E  
F G H I





**BERCO 80**

Length 60 mt / reel  
Packing cardboard reel  
Colour A B C D E  
F G H I K




**BEST 80**  
To install with **TM5**

Packing 50 pz / box  
Colour B I K



**BEJ 80**  
With double-sided tape

Packing 50 pz / box  
Colour T



FRIGO POLSKA Sp. z o.o.  
Chłodnictwo i Klimatyzacja

tel. 606 326 113

www.sklep.frigopolska.pl  
frigo@frigopolska.pl



FRIGO POLSKA Sp. z o.o.  
Chłodnictwo i Klimatyzacja

tel. 606 326 113

www.sklep.frigopolska.pl  
frigo@frigopolska.pl



# 19



## BUMPER SUPERFLEX 80



New flexible model of classic BU80, produced in coextruded material, features versatility and elegance, easy to install and shockproof.



Nouvelle version de classique BU80, produit en matériel co-extrudé, mélange polyvalence et élégance aux caractéristiques techniques tels que la facilité à l'assemblage et la résistance aux chocs.

Bumper Superflex 80



**SFB 80**

Packing **1 pz / box**  
L = 10.000 mm  
Colour **I**




**SFRB 80**

Length **4.000 mm**  
Packing **5 pz / box**  
Colour **B**



**SFBC**


Packing **2 pz / box**  
L = 40.000 mm  
Colour **A G T**



**SFBT80**

To install with TM5

Packing **50 pz / box**  
Colour **B I**



FRIGO POLSKA Sp. z o.o.  
Chłodnictwo i Klimatyzacja

tel. 606 326 113

www.sklep.frigopolska.pl  
frigo@frigopolska.pl



FRIGO POLSKA Sp. z o.o.  
Chłodnictwo i Klimatyzacja

tel. 606 326 113

www.sklep.frigopolska.pl  
frigo@frigopolska.pl



# 20

## BUMPER SPONGEGUM




PATENTED  
BREVETTATO

New bumper system of high performance, produced with soft plastic and specific spongy material inside, which ensure good resistance to impacts, thermal and acoustic insulation, water resistance and energy absorption


Nuova linea di paracolpi morbido ad alta prestazione con all'interno un particolare materiale spugnoso che garantisce resistenza agli urti, buon isolamento termico e acustico, resistenza all'acqua, assorbimento energetico

Système complet pour les portes coulissantes en vitre de vitrines réfrigérées. Profils en pvc antichoc équipés d'accessoires pour assurer une bonne isolation et donc une économie d'énergie considérable. A rail inférieur est installé pour permettre le coulissement pratique de l'ouverture et la fermeture des portes.




**SPO 80**  
With double-sided tape

Length **4.000 mm**  
Packing **to be defined**  
Colour **1**



**SPOT 80**

Packing **25 pz / box**  
Colour **1**





# 21

## BUMPER MODULAR




New modular antischock profile with hidden screws. You can enlarge the protecting surface by adding simple profiles, economic and easy to clean.

Nouveau profilé modulable anti-choc avec attaches cachées. Vous pouvez élargir le profilé et la surface protégée en ajoutant simplement des profilés, économique et facile à nettoyer.




Bumper Modular




### BUM

Length 4.000 mm  
Packing 8 pz / box  
Colour A B C E G H




### TM

Length 4.000 mm  
Packing 40 pz / box  
Colour B E



### EXM


Length 4.000 mm  
Packing 20 pz / box  
Colour B E



### BUMT 150

To install with TM5


Packing 50 pz / box  
Colour B E



### BUMT 250

To install with TS7

Packing 25 pz / box  
Colour E



FRIGO POLSKA Sp. z o.o.  
Chłodnictwo i Klimatyzacja

tel. 606 326 113

www.sklep.frigopolska.pl  
frigo@frigopolska.pl



FRIGO POLSKA Sp. z o.o.  
Chłodnictwo i Klimatyzacja

tel. 606 326 113

www.sklep.frigopolska.pl  
frigo@frigopolska.pl



# 22

## WALL PROTECTION



New bumper without guides. Thanks to its big size and resistance it is ideal for protection of industrial spaces. Fixed caps with hidden screws covered by specific buttons.

Nuovo profilo antiurto senza guida. La sua ampiezza e resistenza lo rende ideale per la protezione di ambienti industriali. Terminali fissati con viti nascoste da appositi bottoni.



Nouveau profilé anti-choc sans besoin d'une base à fixer. Sa mesure large et sa résistance en font le profilé parfait pour la protection des espaces industriels. Embouts fixés avec des vis cachées grâce à des bouchons spécifiques.






**WP 100**

Length **4.000 mm**  
Packing **8 pz / box**  
Colour **B E F**



**WP 150**


Length **4.000 mm**  
Packing **4 pz / box**  
Colour **B E M**



**WPC**

To install with WP 100 / WP 150


Length **4.000 mm**  
Packing **16 pz / box**  
Colour **A B C D E F G H**



**WPT 100**

To install with TM5


Packing **50 pz / box**  
Colour **B E F**



**WPA 100**

To install with TS9


Packing **20 pz / box**  
Colour **B E**



**WPT 150**

To install with TM5


Packing **50 pz / box**  
Colour **B E**



**WPA 150**

To install with TS9


Packing **20 pz / box**  
Colour **B E**



**WPCS**

To install with WP 100 / WP 150


Length **4.000 mm**  
Packing **8 pz / box**  
Colour **A B C D E F G H I**



**WPTS 100**

To install with TS9


Packing **20 pz / box**  
Colour **B E**



**WPAS 100**

To install with TS9


Packing **20 pz / box**  
Colour **B E**



**WPTS 150**

To install with TS9


Packing **20 pz / box**  
Colour **B E**



**WPAS 150**

To install with TS9

Packing **20 pz / box**  
Colour **B E**





# 23 BUMPER 150




Soft but strong material.  
Innovative and simple design.

Profilo antiurto in materiale morbido ma indistruttibile. Design semplice e versatile.



Profilé anti-choc réalisé avec un matériel souple et rigide indestructible. Design simple et innovant.

Bumper 150




**BU 150**

Packing **1 pz / box**  
L = 25.000 mm  
Colour **I L**




**BUS 150**

Length **4.000 mm**  
Packing **6 pz / box**  
Colour **B**




**MU 20**

Packing **1 pz / box**  
L = 48.000 mm



**BUPF 150**


Length **4.000 mm**  
Packing **6 pz / bag**



**BUT 150**

To install with TH


Packing **50 pz / box**  
Colour **B I L**



**BUA 150**

To install with TH

Packing **20 pz / box**  
Colour **B I L**



FRIGO POLSKA Sp. z o.o.  
Chłodnictwo i Klimatyzacja

tel. 606 326 113

www.sklep.frigopolska.pl  
frigo@frigopolska.pl



FRIGO POLSKA Sp. z o.o.  
Chłodnictwo i Klimatyzacja

tel. 606 326 113

www.sklep.frigopolska.pl  
frigo@frigopolska.pl



# 24

## BUMPER FLOOR



Spacer floor bumper to protect refrigerated cabinets and walls, fully equipped with corners and accessories necessary to assemble it.

Système de protection au sol, épaisseur pour les vitrines réfrigérées et murs, pleine de courbes et équipé d'accessoires.




### Bumper Floor



**FB 80**




Length **4.000 mm**  
Packing **6 pz / box**  
Colour **B**



**FBAF 80**


Material **aluminium**  
Length **4.000 mm**  
Packing **6 pz / box**



**FBT 80**

Equipped with screws


Material **aluminium**  
Packing **40 pz / box**



**FBA 80**

Equipped with screws


Material **aluminium**  
Packing **8 pz / box**



**FBL 80**


Equipped with screws

Material **stainless steel**  
Packing **20 pz / box**





**FBS 80**

Material **stainless steel**  
Packing **20 pz / box**




**FR**

Material **chemical anchor**  
Packing **1 pz / box**



**FBR**

Material **steel**  
Length **400 mm**  
Packing **to be defined**



FRIGO POLSKA Sp. z o.o.  
Chłodnictwo i Klimatyzacja

tel. 606 326 113

www.sklep.frigopolska.pl  
frigo@frigopolska.pl



FRIGO POLSKA Sp. z o.o.  
Chłodnictwo i Klimatyzacja

tel. 606 326 113

www.sklep.frigopolska.pl  
frigo@frigopolska.pl



# 25 WHEEL SYSTEM




Complete system for sliding glass doors of refrigerated displays. Shockproof pvc profiles equipped with accessories to ensure a good insulation and consequently a considerable energy saving. A lower rail is installed to allow the easy sliding opening and closing of doors.



**SDF 20**

Length **4.000 mm**  
Packing **5 pz / box**  
Colour **B D**



**SDW 20**

Length **4.000 mm**  
Packing **20 pz / box**  
Colour **B D**




**SDH 20**

Length **4.000 mm**  
Packing **12 pz / box**  
Colour **B D**




**SDHG**

Packing **60 mt reel**  
Colour **B D**




**RAIL**

Material **aluminium**  
Length **3.000 mm**  
Packing **24 pz / bundle**



**WHEEL**


Material **steel**  
Packing **100 pz / box**



**SQ SDF**

To install with SDF



Material **aluminium**  
Packing **100 pz / box**



**SDW COP**


To install with SDW 20 and SDH 20

Packing **100 pz / box**  
Colour **B D**



**BR 4**  
**BR 8.5**

Length **BR 4**  
**BR 8.5**  
Packing **BR 4 1 pz / reel L 600 mt**  
**BR 8.5 1 pz / reel L 225 mt**  
Packing **D**



FRIGO POLSKA Sp. z o.o.  
Chłodnictwo i Klimatyzacja

tel. 606 326 113

www.sklep.frigopolska.pl  
frigo@frigopolska.pl



FRIGO POLSKA Sp. z o.o.  
Chłodnictwo i Klimatyzacja

tel. 606 326 113

www.sklep.frigopolska.pl  
frigo@frigopolska.pl

# 26

## SLIDING SYSTEM





New profiles for covering refrigerated cabinets. With easy installation they can ensure hermetic closure and energy save.

Nouvelle gamme de profilés pour la couverture de meubles frigorifiques. Très facile à installer, elle garantit une fermeture hermétique et une économie d'énergie importantes.





Sliding System

FLAT




**CUB**

Length **4.000 mm**  
Packing **to be defined**  
Colour **B**



**FLC**

Length **4.000 mm**  
Packing **to be defined**  
Colour **B**



**SSB**



Length **4.000 mm**  
Packing **to be defined**  
Colour **B**



**SSE**

With double-sided tape

Length **4.000 mm**  
Packing **to be defined**  
Colour **B transparent**




**UG**

Length **4.000 mm**  
Packing **to be defined**  
Colour **B transparent**



**DG**

Length **4.000 mm**  
Packing **to be defined**  
Colour **B transparent**



FRIGO POLSKA Sp. z o.o.  
Chłodnictwo i Klimatyzacja

tel. 606 326 113

www.sklep.frigopolska.pl  
frigo@frigopolska.pl



FRIGO POLSKA Sp. z o.o.  
Chłodnictwo i Klimatyzacja



tel. 606 326 113

www.sklep.frigopolska.pl  
frigo@frigopolska.pl




# Sliding System

## CURVED




**CUB**

Length **4.000 mm**  
Packing **to be defined**  
Colour **B**




**CUF**

Length **4.000 mm**  
Packing **to be defined**  
Colour **B**



**CUS SX / DX**

Packing **to be defined**  
Colour **B**



**CUH**

Packing **to be defined**  
Colour **B**



**SSB**


Length **4.000 mm**  
Packing **to be defined**  
Colour **B**




**SSE**

With double-sided tape

Length **4.000 mm**  
Packing **to be defined**  
Colour **B** transparent




# Sliding System




**UG**

Length **4.000 mm**  
Packing **to be defined**  
Colour **B** transparent




**DG**

Length **4.000 mm**  
Packing **to be defined**  
Colour **B** transparent




## RAIL




**RAP**

Length **4.000 mm**  
Packing **to be defined**  
Colour **K**




**RAEP**

Length **4.000 mm**  
Packing **to be defined**  
Colour **K**




**HGF**

Length **4.000 mm**  
Packing **35 pz / box**  
Colour **K**



**GF**

Length **4.000 mm**  
Packing **35 pz / box**  
Colour **K**





TO KNOW  
OUR NEW  
**PROTECTION  
PROFILES**  
CONTACT US



FRIGO POLSKA Sp. z o.o.  
Chłodnictwo i Klimatyzacja

tel. 606 326 113

[www.sklep.frigopolska.pl](http://www.sklep.frigopolska.pl)  
[frigo@frigopolska.pl](mailto:frigo@frigopolska.pl)

Fixing accessories



**TH**  
ABS. 100 Pcs./ bag.  
RAL 9010 / 9002 / 9006 / 7040 / 7024 / Transparent.



**TM12**  
Hole required Ø 20.  
PE, RAL 9010. 100 Pcs. / bag.



**TS5**  
Hole required Ø 5  
White nylon. 250 Pcs. / bag.



**TB14**  
Hole required Ø 4.  
Steel / aluminium. 500 Pcs. / box.



**TS7**  
Hole required Ø 5.  
White or grey nylon. 250 Pcs. / bag.



**TB20**  
Hole required Ø 5.  
Steel / aluminium. 500 Pcs. / box.



**TS9**  
Hole required Ø 5.  
White or grey nylon. 250 Pcs. / bag.



**TF14**  
Hole required Ø 5.  
Aluminium. 500 Pcs. / box.



**TM5**  
Hole required Ø 8.5  
Neutral polyethylene. 100/500 Pcs. / bag.



**TF20**  
Hole required Ø 6.5.  
Aluminium. 500 Pcs. / box.



**TK100**  
Hole required Ø 5 and 20.  
Steel screw. Packing on demand.

Colours

- A**  
RED  
RAL 3002
- B**  
GREY  
RAL 7040
- C**  
YELLOW  
RAL 1023
- D**  
BLACK  
RAL 9005
- E**  
WHITE  
RAL 9010
- F**  
WHITE  
RAL 9002
- G**  
BLUE  
RAL 5005
- H**  
GREEN  
RAL 6029
- I**  
SILVER  
RAL 9006
- K**  
LIGHT GREY  
RAL 7035
- L**  
DARK GREY  
RAL 7024
- M**  
LIGHT YELLOW  
RAL 1018

- Cleaner resistant
- Long resistance
- Non toxic
- Quick assembly
- Good waterproof
- Class V0 self-extinguishing fire resistance
- Shockproof
- Easy to clean
- Cheap
- Good thermal insulation

YES  NO

All pictures are for illustrations purposes only. The company reserves the right to make changes in dimensions, colours, material and packaging without prior notice.



FRIGO POLSKA Sp. z o.o.  
Chłodnictwo i Klimatyzacja

tel. 606 326 113

[www.sklep.frigopolska.pl](http://www.sklep.frigopolska.pl)  
[frigo@frigopolska.pl](mailto:frigo@frigopolska.pl)